

LAP SIDING

Cedar Texture

Products:

- LP® SmartSide® 38 Series Lap Siding
- LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements
 APA-Certified Lap Siding

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards




Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Cedar Texture Lap	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	25796
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	25797
	16 ft. (192 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	25799

38 Series Lap - Cedar Texture

3/8" Nominal Thickness
 Primed Lap: 6" | 8" | 12"



Application Instructions:

LPCorp.com/Literature



38 Series Lap - Cedar Texture

3/8" Nominal Thickness
 ExpertFinish® Core Collection Lap: 6" | 8"
 NATURALS COLLECTION™ Lap: 8"



ExpertFinish® Color Specifications and PIDs:

38 SERIES EXPERTFINISH® CEDAR TEXTURE LAP JOINT SIDING



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID	
Snowscape White	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41715	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42271	
Sand Dunes	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41841	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42272	
Desert Stone	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41842	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42274	
Quarry Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41837	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42288	
Prairie Clay	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41834	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42278	
Terra Brown	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41845	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42277	
Harvest Honey	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45327	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45284	
Timberland Suede	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41843	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42269	
Garden Sage	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45328	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45325	
Redwood Red	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41840	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42293	
Tundra Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41846	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42300	
Summit Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41844	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42273	
Rapids Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41839	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42287	
Cavern Steel	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41835	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42301	
Midnight Shadow	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45329	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	45326	
Abyss Black	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	41774	
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	42279	
NEW NATURALS COLLECTION™ LAP	Washed White	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46731
	Smoky Slate	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46730
	Bonsai Black	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46729
	Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46728
	AGED Amber	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46727
	Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in.	1.5 PSF	46726

NICKEL GAP SIDING

Cedar Texture

Products:

- LP® SmartSide® Nickel Gap Siding
- LP® SmartSide® ExpertFinish® Nickel Gap Siding

DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from Aspen logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

Application Instructions:
LPCorp.com/Literature



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
LP® Nickel Gap Flashing	10 in. (254 mm)	4 in. (101.6 mm)	0.024 in. (0.61 mm)	9.4 LBS 100 pcs/box	46180

Innovative Design

LP® SmartSide® Nickel Gap Siding features locking flanges with a fastener groove that hides nails.



Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Cedar Texture Nickel Gap Siding	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	45545

ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46558
Sand Dunes	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46557
Desert Stone	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46549
Quarry Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46554
Prairie Clay	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46553
Terra Brown	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46560
Harvest Honey	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46551
Timberland Suede	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46561
Garden Sage	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46550
Redwood Red	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46556
Tundra Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46562
Summit Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46559
Rapids Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46555
Cavern Steel	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46548
Midnight Shadow	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46552
Abyss Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46547
Washed White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46755
Smoky Slate	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46753
Bonsai Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46751
Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46749
Aged Amber	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46747
Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in.	1.5 PSF	46745

NEW NATURALS COLLECTION™
NICKEL GAP SIDING

See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot
Contact your LP Sales Rep for product availability.
All colors shown are representative and may not be an exact match.

PANEL SIDING

Cedar Texture

ExpertFinish® Color Specifications and PIDs:

38 SERIES CEDAR TEXTURE – NO GROOVE
DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide®
trim for board & batten
style applications

PRODUCT	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT
38 Series Cedar Texture No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel* ★	47.81 in. (1 214 mm)	0.354 in. (9 mm)	16 in. Siding 24 in. Soffit	1.5 PSF

COLOR	LENGTH	PID
Snowscape White	8 ft. (96 in.) (2.4 m)	47097
	10 ft. (119.81 in.) (3043 mm)	47082
Sand Dunes	8 ft. (96 in.) (2.4 m)	47098
	10 ft. (119.81 in.) (3043 mm)	47083
Desert Stone	8 ft. (96 in.) (2.4 m)	47099
	10 ft. (119.81 in.) (3043 mm)	47084
Quarry Gray	8 ft. (96 in.) (2.4 m)	47100
	10 ft. (119.81 in.) (3043 mm)	47085
Prairie Clay	8 ft. (96 in.) (2.4 m)	47101
	10 ft. (119.81 in.) (3043 mm)	47086
Terra Brown	8 ft. (96 in.) (2.4 m)	47102
	10 ft. (119.81 in.) (3043 mm)	47087
Harvest Honey	8 ft. (96 in.) (2.4 m)	47103
	10 ft. (119.81 in.) (3043 mm)	47088
Timberland Suede	8 ft. (96 in.) (2.4 m)	47104
	10 ft. (119.81 in.) (3043 mm)	47089

COLOR	LENGTH	PID
Garden Sage	8 ft. (96 in.) (2.4 m)	47105
	10 ft. (119.81 in.) (3043 mm)	47090
Redwood Red	8 ft. (96 in.) (2.4 m)	47106
	10 ft. (119.81 in.) (3043 mm)	47091
Tundra Gray	8 ft. (96 in.) (2.4 m)	47107
	10 ft. (119.81 in.) (3043 mm)	47092
Summit Blue	8 ft. (96 in.) (2.4 m)	47108
	10 ft. (119.81 in.) (3043 mm)	47093
Rapids Blue	8 ft. (96 in.) (2.4 m)	47109
	10 ft. (119.81 in.) (3043 mm)	47094
Cavern Steel	8 ft. (96 in.) (2.4 m)	47110
	10 ft. (119.81 in.) (3043 mm)	47095
Midnight Shadow	8 ft. (96 in.) (2.4 m)	47111
	10 ft. (119.81 in.) (3043 mm)	47096
Abyss Black	8 ft. (96 in.) (2.4 m)	47112
	10 ft. (119.81 in.) (3043 mm)	47081

★ Can be used in siding or soffit applications

*Coordinates with LP® SmartSide® Trim for board and batten style applications.
See LPCorp.com for product, warranty, and installation details. PSF = Pounds Per Square Foot
All colors shown are representative and may not be an exact match.



LP® SmartSide® ExpertFinish® Cedar Texture Panel and Trim (Board & Batten Style) in Quarry Gray