

Hines Supply - Grayslake, IL

Address: Twin Lakes Sales Office
 301 E. Main Street, Suite 103
 Twin Lakes, WI 53181
 Phone: 847-231-1516



Quote

Website: www.hinessupply.com
 Email: enc.thornburgh@hinessupply.com

Quote Number:

Date: 3/2/2026

Sales Person: Andrew Preble

Customer Information

Name: Fassbinder Construction Inc.
 Address:
 Phone 1:
 Phone 2:
 Fax:
 Contact:

Job Name: 12605 Greemoor Drive

Specifications

U.D = 53" x 81-5/8", R.O. = 53-3/4" x 82"
 O.M. of Exterior Trim = 55-1/2" x 82-7/8"




Image is viewed from Exterior!

Lead Time. Call for Lead Time

Item Description	Qty
3' 0" x 6' 8" S2000XN Smooth-Star - Flush Glazed Fiberglass Door w/Granite Glass (w/CUSTOM 1-1/8" Flat Profile SDL - 2Wx3H Pattern) - Left Hand Inswing (Tru-Guard Composite Edge)	1
2-3/4" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing) w/Faceplate Lockset Latch Prep w/Standard Strike Prep w/Deadbolt 9206 Kwikset/Schlage J Series - Standard 1" x 2-1/4" Strike Prep	1
Set of Ball Bearing - Black Nickel Hinges	1
Single Sidelite (Left/Hinge Side) 14" Wide S2000XNSL w/Granite Glass (w/CUSTOM 1-1/8" Flat Profile SDL - 1Wx3H Pattern)	1
White Stipple Dura-Tech Frame (Continuous Head/Sill w/Exact-Size (Back-to-Back Jambs Wide where Possible)) - 5-1/4" Jamb w/Dura-Tech White Brickmould Exterior Trim (Applied) w/(1)Black Nickel Adjustable Strike Plate (for Lockset only)	1
Bronze Compression Weatherstrip	1
Tru-Defense Composite Adj. w/Dark Cap - Bronze Sill (Continuous)	1
PREFINISH: Paint Door & Sidelite Panels Interior & Exterior 105 OBSIDIAN/ONYX ; Paint Frame Interior and Exterior (and Exterior Trim) 105 OBSIDIAN/ONYX	1
Tru-Loc Door Anchors - Installed	1

Item Total

Thank you for your business, all quotes good for 30 days.

Distributed by:



Order Sub Total:

Tax:

Order Total:

Version #: 1.49.0-0


Version Date: 10/6/2025

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Kitchen			
Qty: 1				

MARVIN



As Viewed From The Exterior


CN 9065
 FS 106 1/2" X 79 1/2"
 RO 107 1/2" X 80"
Egress Information
 Width: 29 31/64" Height: 74 47/64"
 Net Clear Opening: 15.30 SqFt
Performance Information
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.29
 Visible Light Transmittance: 0.5
 Condensation Resistance: 57
 CPD Number: MAR N-429-01120-00001
Performance Grade
 Licensee #1128
 101/1.S.2/A440-08
 LC-PG40 2705X2184 mm (106.5X86 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL10956

Stone White Exterior
 White Interior
 Elevate Sliding French Door OXO Left Hand
 CN 9065
 Rough Opening 107 1/2" X 80"
 Left Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 Center Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 Right Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Interior Weather Strip Package
 Multi-Point Lock
 Cambridge Handle White Keyed Exterior Primary Handle Set
 Cambridge Handle White Interior Primary Handle Set
 Keyed
 Keyed Alike - Keyed Alike Group 1
 Exterior Sliding Screen
 Stone White Surround
 Bright View Mesh
 ***Screen/Combo Ship Loose
 Bronze Ultrex Sill / Black Weather Strip
 4 9/16" Jambs
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit: Kitchen			
Qty: 2				

MARVIN

Stone White Exterior
 Stone White Interior
 Essential Casement Picture
 CN 3060
 Rough Opening 36" X 72"
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 2" Jambs
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change




As Viewed From The Exterior

CN 3060
 FS 35 1/2" X 71 1/2"
 RO 36" X 72"
Egress Information
 No Egress Information available.
Performance Information
 U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.57
 Condensation Resistance: 58
 CPD Number: MAR-N-376-00880-00001
Performance Grade
 Licensee #1039
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 1207X2121 mm (47.5X83.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13632

Line #3	Mark Unit: Family Room			
Qty: 1				

MARVIN



As Viewed From The Exterior

CN 9065
 FS 106 1/2" X 79 1/2"
 RO 107 1/2" X 80"
Egress Information
 Width: 29 31/64" Height: 74 47/64"
 Net Clear Opening: 15.30 SqFt
Performance Information
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.29
 Visible Light Transmittance: 0.5
 Condensation Resistance: 57
 CPD Number: MAR-N-429-01120-00001

Stone White Exterior
 White Interior
 Elevate Sliding French Door OXO Left Hand
 CN 9065
 Rough Opening 107 1/2" X 80"
 Left Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 Center Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 Right Panel
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Interior Weather Strip Package
 Multi-Point Lock
 Cambridge Handle White Keyed Exterior Primary Handle Set
 Cambridge Handle White Interior Primary Handle Set
 Keyed
 Keyed Alike - Keyed Alike Group 1


Performance Grade

Licensee #1128
 101/I.S.2/A440-08
 LC-PG40 2705X2184 mm (106.5X86 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL10956

Exterior Sliding Screen
 Stone White Surround
 Bright View Mesh
 ***Screen/Combo Ship Loose
 Bronze Ultrex Sill / Black Weather Strip
 4 9/16" Jamb
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change

Line #4	Mark Unit: Family Room			
Qty: 2				

MARVIN



As Viewed From The Exterior

Stone White Exterior
 Stone White Interior
 Essential Casement Picture
 CN 3060
 Rough Opening 36" X 72"
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 2" Jamb
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change


CN 3060
 FS 35 1/2" X 71 1/2"
 RO 36" X 72"
Egress Information
 No Egress Information available.
Performance Information
 U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.33
 Visible Light Transmittance: 0.57
 Condensation Resistance: 58
 CPD Number: MAR-N-376-00880-00001
Performance Grade
 Licensee #1039
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 1207X2121 mm (47.5X83.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13632

Line #5	Mark Unit: Family Room			
Qty: 1				

MARVIN

Stone White Exterior
 Stone White Interior
 2W1H - Rectangle Assembly
 Assembly Rough Opening
 48" X 48"

 Unit: A1
 Essential Casement - Left Hand
 CN 2040
 Rough Opening 24" X 48"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar



As Viewed From The Exterior


FS 47 1/2" X 47 1/2"
 RO 48" X 48"
Egress Information A1, A2
 Width: 14 43/64" Height: 42 5/16"
 Net Clear Opening: 4.31 SqFt
Performance Information A1, A2
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.29
 Visible Light Transmittance: 0.49
 Condensation Resistance: 58
 CPD Number: MAR-N-375-00424-00001
Performance Grade A1, A2
 Licensee #1034
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 699X1816 mm (27.4X71.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13631

White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose

Unit: A2
 Essential Casement - Right Hand
 CN 2040
 Rough Opening 24" X 48"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose
 Vertical Standard 1/2"
 2" Jambes
 Nailing Fin with 4" Structural Brackets
 ***Note: Mull Certified to AAMA 450 and rated to LC-25
 ***Note: Unit Availability and Price is Subject to Change

Line #6	Mark Unit: Bedroom(s)			
Qty: 3				

MARVIN



As Viewed From The Exterior

FS 89 1/2" X 47 1/2"
 RO 90" X 48"
Egress Information A1, A3
 Width: 20 43/64" Height: 42 5/16"
 Net Clear Opening: 6.08 SqFt
Egress Information A2
 No Egress Information available.
Performance Information A1, A2, A3
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.29
 Visible Light Transmittance: 0.49
 Condensation Resistance: 58
 CPD Number: MAR-N-375-00424-00001
Performance Grade A1, A3
 Licensee #1034
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 902X2121 mm (30.3X83.5 in)

Stone White Exterior
 Stone White Interior
 3W1H - Rectangle Assembly
 Assembly Rough Opening
 90" X 48"
 Unit: A1
 Essential Casement - Left Hand
 CN 2640
 Rough Opening 30" X 48"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose

Unit: A2
 Essential Casement - Stationary
 CN 2640
 Rough Opening 30" X 48"
 IG - 1 lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar


Unit: A3
 Essential Casement - Right Hand

Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13631
Performance Grade A2
 Licensee #1039
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 1207X2121 mm (47.5X83.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13632

CN 2640
 Rough Opening 30" X 48"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose
 Vertical Standard 1/2"
 2" Jamb
 Nailing Fin with 4" Structural Brackets
 ***Note: Mull Certified to AAMA 450 and rated to LC-25
 ***Note: Unit Availability and Price is Subject to Change

Line #7	Mark Unit: Kitchen			
Qty: 1				

MARVIN



As Viewed From The Exterior

FS 71 1/2" X 35 1/2"
 RO 72" X 36"
Egress Information A1, A3
 Width: 14 43/64" Height: 30 5/16"
 Net Clear Opening: 3.09 SqFt
Egress Information A2
 No Egress Information available.
Performance Information A1, A2, A3
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.29
 Visible Light Transmittance: 0.49
 Condensation Resistance: S8
 CPD Number: MAR-N-375-00424-00001
Performance Grade A1, A3
 Licensee #1034
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 699X1816 mm (27.4X71.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13631
Performance Grade A2
 Licensee #1039
 AAMA/WDMA/CSA 101/I.S.2/A440-17
 LC-PG40 1207X2121 mm (47.5X83.5 in)
 Water Resistance: 6.06 psf
 LC-PG40 DP +40/-40
 FL13632

Stone White Exterior
 Stone White Interior
 3W1H - Rectangle Assembly
 Assembly Rough Opening
 72" X 36"


Unit: A1
 Essential Casement - Left Hand
 CN 2030
 Rough Opening 24" X 36"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose

Unit: A2
 Essential Casement - Stationary
 CN 2030
 Rough Opening 24" X 36"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar

Unit: A3
 Essential Casement - Right Hand
 CN 2030
 Rough Opening 24" X 36"
 IG - 1 Lite
 Low E2 w/Argon
 Silver Stainless Steel Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 Stone White Surround
 ***Screen/Combo Ship Loose
 Vertical Standard 1/2"
 2" Jamb
 Nailing Fin with 4" Structural Brackets
 ***Note: Mull Certified to AAMA 450 and rated to LC-25
 ***Note: Unit Availability and Price is Subject to Change

Line #8	Mark Unit: Bathroom(s)			
Qty: 2				

MARVIN



As Viewed From The Exterior

CN 4020

FS 47 1/2" X 23 1/2"

RO 48" X 24"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.49

Condensation Resistance: 57

CPD Number: MAR-N-377-00508-00001

Performance Grade

Licensee #1038

AAMA/WDMA/CSA 101/I.S.2/A440-17

LC-PG40 1207X902 mm (47.5X35.5 in)

Water Resistance: 6.06 psf

LC-PG40 DP +40/-40

FL13630

Stone White Exterior
Stone White Interior
Essential Awning - Roto Operating
CN 4020
Rough Opening 48" X 24"
1G - 1 Lite
Low E2 w/Argon
Silver Stainless Steel Perimeter Bar
White Folding Handle
Interior Aluminum Screen
Bright View Mesh
Stone White Surround
***Screen/Combo Ship Loose

2" Jamb

Nailing Fin

***Note: Unit Availability and Price is Subject to Change