



Oct 23, 2018 1:40pm PLOTTED BY: AKreuser SAVED BY: AKreuser
 IMAGES: RM SQUARE - Full Color-Print
 PROJECT: 38-10017-02 - Waukesha - Village of Elm Grove
 COUNTY: WAUKESHA COUNTY, WISCONSIN
 SHEET: 02



LEGEND

- ① STAGE 1 WEST BOUND LANE CLOSURE
- ② STAGE 2 WEST BOUND LANE CLOSURE
- ③ STAGE 3 WEST BOUND LANE CLOSURE
- ④ STAGE 4 WEST BOUND LANE CLOSURE
- ⑤ STAGE 5 WEST BOUND LANE CLOSURE
- ⑥ STAGE 6 WEST BOUND LANE CLOSURE




NOTES:

1. FOLLOW STAGING AND TRAFFIC CONTROL RESTRICTIONS IN SECTION 01 35 13 OF THE PROJECT MANUAL.
2. FOLLOW RESTORATION RESTRICTIONS IN CONSTRUCTION SEQUENCE ON SHEET 01 AND MILESTONES IN AGREEMENT.


7	6	5	4	3	2	1		TOWN: 7N	RANGE: 20E	SECTION(S): 24SE, 25NW&NE, 26NW, NE & SW
<p style="text-align: center; margin: 0;"> Ruekert • Mielke Waukesha • Kenosha • Madison Chicago • Global Water Center • Fox Valley www.ruekertmielke.com </p>										
WATERTOWN PLANK ROAD PEDESTRIAN PATHWAY STAGING PLAN VILLAGE OF ELM GROVE WAUKESHA COUNTY, WISCONSIN										
© COPYRIGHT 2018 RUEKERT & MIELKE INC. DESIGNED BY: ADP DRAFTED BY: JTK CHECKED BY: DATE: OCTOBER 2018 FILE NO. 38-10017.200										
SHEET NO. 02										

www.ruekertmielke.com


SDD 15c5 Traffic Control, Advance Warning Signs 40 M.P.H. or Less, Two Way Undivided Road Open to Traffic



SDD 15c12 Traffic Control for Lane Closure with Flagging Operation



SDD 15d28 Traffic Control, Work on Shoulder or Parking Lane, Undivided Roadway





Oct 23, 2018 1:40pm PLOTTED BY: AKreuser SAVED BY: KJieve
 IMAGES: RM SQUARE - Full Color-Print
 C:\Users\AKreuser\Documents\Projects\15c12\15c12.dwg
 C:\Users\AKreuser\Documents\Projects\15c12\15c12.dwg

SECTION(S): 24SE, 25NW, 26NW, NE, 8 SW
 TOWN: 7N RANGE: 20E
 WATER TOWN PLANK ROAD PEDESTRIAN PATHWAY
 TRAFFIC CONTROL DETAILS
 VILLAGE OF ELM GROVE
 WAUKESHA COUNTY, WISCONSIN
 COPYRIGHT © 2018 RUEKERT & MIELKE INC.
 DESIGNED BY: ADP
 DRAFTED BY: JTK
 CHECKED BY:
 DATE: OCTOBER 2018
 FILE NO. 38-10017.200
 SHEET NO. 03

S.D.D. 15 C 5-5
 S.D.D. 15 C 12-6
 S.D.D. 15 D 28-3

Oct 23, 2018 1:42pm PLOTTED BY: AKreuser - SAVED BY: AKreuser
 IMAGES: RM SQUARE - Full Color-Print: OFFICES: Views: Allwarp: Bldgwrp: Cdwarp: Fdwarp: Echwarp: Pdwarp: Xdwarp: Pmbwarp: Utawarp
 G:\CS_2018\38_10017_Village of Elm Grove\10017 Watertown Plank Road Pedestrian Pathway\Watertown Plank Road.dwg



7	6	5	4	3	2	1
A	R	E	S	O	S	

Ruekert • Mielke
 Waukesha • Kenosha • Madison
 Chicago • Global Water Center • Fox Valley
www.ruekertmielke.com

TOWN: 7N RANGE: 20E SECTION(S): 26 SW

**WATERTOWN PLANK ROAD PEDESTRIAN PATHWAY
PROPOSED PAVEMENT PLAN**
 IN: WATERTOWN PLANK ROAD
 FROM: 300' NORTHEAST OF VERDANT DRIVE
 TO: TERRACE DRIVE
 VILLAGE OF ELM GROVE
 WAUKESHA COUNTY, WISCONSIN

© COPYRIGHT 2018
RUEKERT & MIELKE INC.

DESIGNED BY: ADP
 DRAFTED BY: JTK
 CHECKED BY:
 DATE: OCTOBER 2018
 FILE NO.
38-10017.200

SHEET NO.
06

www.ruekertmielke.com

R122344

JOHN F BOSBOUS REVOCABLE LIVING TRUST U/A DATED 1/4/12
14900 WATERTOWN PLANK ROAD
TAX KEY: EVG 1110009

RYAN BUKOUROS & KRISTA JERAY
14810 WATERTOWN PLANK ROAD
TAX KEY: EVG 1110007

KATHLEEN A GRIFFIN
14800 WATERTOWN PLANK ROAD
TAX KEY: EVG 1110008

ELM GROVE COMMUNITY METHODIST CHURCH
14700 WATERTOWN PLANK ROAD
TAX KEY: EVG 1109154

APPROXIMATE AREA TO BE FILLED BY OWNER;
TURF RESTORATION BY PROPERTY OWNER

ALLOW PROPERTY OWNER TO
SALVAGE FIELD STONE AND
PLANTINGS (TYP)

BUSH TRIMMING OR
REMOVAL BY OWNER
154'-14"-9" CMPA
12" MIN COVER
SLOPE TO DRAIN

PILLAR

FIELD STONE
(TYP)

ADJUST MANHOLE RIM
TO FINISHED GRADE

SAWCUT & REMOVE PAVED SHOULDER;
PROVIDE 3' (MIN) SEPARATION FROM
PROPOSED PATHWAY EXCEPT MAINTAIN AT
LEAST 1' WIDE PAVED SHOULDER (TYP)

ROBERTY & GRETA FAYLE
14855 WATERTOWN PLANK ROAD
TAX KEY: EVG 1110992

GRADE TO DRAIN
INV. 844.47
(FIELD VERIFY)

20'-12" CMP AT 1.00%
12" MIN COVER

INV. 844.57
(FIELD VERIFY)

FIELD STONE END
(TYP)

GRADE TO DRAIN

CONC

PLNTR

REMOVE PLANTER
BED

ASPH

REMOVE EXIST DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE
MAILBOX (TYP)

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

WATERTOWN PLANK ROAD

BENJAMIN R & JULIA HAAS
14815 WATERTOWN PLANK ROAD
TAX KEY: EVG 1110991

NICHOLAS J PFEFFER
14805 WATERTOWN PLANK ROAD
TAX KEY: EVG 111099001

STEVEN & JULIE ROSSA
14785 WATERTOWN PLANK ROAD
TAX KEY: EVG 1109155

PROPOSED 5' ASPHALTIC PATHWAY

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE


REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE

REMOVE & REPLACE DRIVEWAY
APPROACH; PROVIDE 1.5% (MAX)
PATH CROSS SLOPE



SEE SHEET 08

SEE SHEET 10

MATCH LINE

MATCH LINE

LINE

LINE

MATCH

MATCH

Oct 23, 2018 1:58pm PLOTTED BY: AKreuser - SAVED BY: AKreuser
IMAGES RM SQUARE - Full Color-Print: 14700 WATERTOWN PLANK ROAD
G:\CS_2018\14700 WATERTOWN PLANK ROAD\14700 WATERTOWN PLANK ROAD.dwg
G:\CS_2018\14700 WATERTOWN PLANK ROAD\14700 WATERTOWN PLANK ROAD.dwg

7	6	5	4	3	2	1
A	R	E	S	O	S	

Ruekert • Mielke
Waukesha • Kenosha • Madison
Chicago • Global Water Center • Fox Valley
www.ruekertmielke.com

**WATERTOWN PLANK ROAD PEDESTRIAN PATHWAY
PROPOSED PAVEMENT PLAN**
IN: WATERTOWN PLANK ROAD
FROM: 400' WEST OF HIGHLAND DRIVE
TO: 100' EAST OF HIGHLAND DRIVE
VILLAGE OF ELM GROVE
WAUKESHA COUNTY, WISCONSIN


© COPYRIGHT 2018
RUEKERT & MIELKE INC.

DESIGNED BY: ADP
DRAFTED BY: JTK
CHECKED BY:
DATE: OCTOBER 2018
FILE NO.
38-10017.200


SHEET NO.
09

SECTION(S): 26 NW & NE
RANGE: 20E
TOWN: 7N


www.ruekertmielke.com




CULVERT W/ FIELD STONE DETAIL
EC-RR-03 96 NO SCALE




PEDESTRIAN PATHWAY WITH SWALE ADJACENT TO ROAD (WEST OF HIGHLAND DRIVE)
PV-ASPH-18b 12 NO SCALE




PEDESTRIAN PATHWAY WITH SWALE BEHIND PATH (WEST OF HIGHLAND DRIVE)
PV-ASPH-18a 12 NO SCALE




PEDESTRIAN PATHWAY (EAST OF HIGHLAND DRIVE)
PV-ASPH-18c 12 NO SCALE



PEDESTRIAN PATH DETAIL (THROUGH DRIVEWAYS)
PV-ASPH-18 12 NO SCALE



MAIL BOX PLACEMENT
SS-POST-07 32 NO SCALE




SPECIAL FIELD INLET 3'x3' STRUCTURE
Cgdt-CB 2 NO SCALE

Oct 23, 2018 2:25pm PLOTTED BY:DKleim. SAVED BY:AKeuser
 IMAGES:RM SQUARE - Full Color-Print, MICR, 100%
 G:\CS2_20183_Village of Elm Grove\100171 Watertown Plank Road Pathway\2018 Construction Details.dwg


7	6	5	4	3	2	1
RUEKERT & MIELKE						
Waukesha • Kenosha • Madison • Fox Valley Chicago • Global Water Center • www.ruekertmielke.com						
WATERTOWN PLANK ROAD PEDESTRIAN PATHWAY CONSTRUCTION DETAILS VILLAGE OF ELM GROVE WAUKESHA COUNTY, WISCONSIN						
© COPYRIGHT 2018 RUEKERT & MIELKE INC. DESIGNED BY: ADP DRAFTED BY: JTK CHECKED BY: DATE: OCTOBER 2018 FILE NO. 38-10017.200						
SHEET NO. 17						

Oct 23, 2018 1:46pm PLOTTED BY: AKreuser - SAVED BY: AKreuser
 IMAGES: RM SQUARE - Full Color-Print; MIDDLE GROUND - Color-Print; LARGE GROUND - Color-Print; PV-RAMP-F; EC-DITCH-07; PV-ASPH-18b; PV-ASPH-18c
 G:\CS2_2018\3_Village of Elm Grove\101017 Waterdown Plank Road Pedestrian Pathway\2018 Construction Details.dwg



- GENERAL NOTES**
- ① DETECTABLE WARNING FIELDS THAT ARE INSTALLED AS A GROUP OR SIDE BY SIDE, SHALL BE FROM THE SAME MANUFACTURER.
 - ② 1.5% TYPICAL LANDING CROSS SLOPE SHALL NOT EXCEED 2.0% IN ANY DIRECTION.
 - ③ 1.5% TYPICAL PATH CROSS SLOPE SHALL NOT EXCEED 2.0% WITHOUT PRIOR APPROVAL FROM ENGINEER.
 - ④ CORNER OF DETECTABLE WARNING FIELD SHALL BE PLACED WITHIN 2 INCHES OF LANDING EDGE.
 - ⑤ A MAXIMUM 6-INCH CONCRETE BORDER WIDTH IS ALLOWABLE IN FRONT OF RADIAL DETECTABLE WARNING FIELD FOR CONSTRUCTABILITY PURPOSES.

CONCRETE RAMP - TYPE E
PV-RAMP-E 3 NO SCALE



- GENERAL NOTES**
- ① DETECTABLE WARNING FIELDS THAT ARE INSTALLED AS A GROUP OR SIDE BY SIDE, SHALL BE FROM THE SAME MANUFACTURER.
 - ② 1.5% TYPICAL LANDING CROSS SLOPE SHALL NOT EXCEED 2.0% IN ANY DIRECTION.
 - ③ 1.5% TYPICAL PATH CROSS SLOPE SHALL NOT EXCEED 2.0% WITHOUT PRIOR APPROVAL FROM ENGINEER.

CURB CONCRETE SIDEWALK - TYPE F
PV-RAMP-F 3 NO SCALE

7	
6	
5	
4	
3	
2	
1	

Ruekert • Mielke
 Waukesha • Kenosha • Madison
 Chicago • Global Water Center • Fox Valley
 www.ruekertmielke.com

WATERTOWN PLANK ROAD PEDESTRIAN PATHWAY
 CONSTRUCTION DETAILS
 VILLAGE OF ELM GROVE
 WAUKESHA COUNTY, WISCONSIN

© COPYRIGHT 2018 RUEKERT & MIELKE INC.
DESIGNED BY: ADP
DRAFTED BY: JTK
CHECKED BY:
DATE: OCTOBER 2018
FILE NO. 38-10017.200

SHEET NO.
19

www.ruekertmielke.com

