


LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Sunroom			
Qty: 1				



As Viewed From The Exterior

FS 143" X 82"
 RO 144" X 82 1/2"
Egress Information
 Width: 57 15/32" Height: 77 19/32"
 Net Clear Opening: 30.97 SqFt
Performance Information
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.23
 Visible Light Transmittance: 0.39
 Condensation Resistance: 57
 CPD Number: MAR-N-270-02518-00001
 ENERGY STAR: N, NC, SC, S
Performance Grade
 Licensee #812
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 3632X2426 mm (143X95.5 in)
 LC-PG40 DP +40/-40
 FL4939

Stone White Clad Exterior
 Bare Pine Interior
 Ultimate Sliding French Door - OXXO Left Hand
 CN 12068
 Rough Opening 144" X 82 1/2"
 **Operator Panels Ship Separate
 Left Panel
 Stone White Clad Sash Exterior
 Bare Pine Sash Interior
 IG
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 GBG - Contour
 Rectangular 2W5H
 Stone White Ext - White Int
 Ogee Interior Glazing Profile
 Left Center Panel
 Stone White Clad Sash Exterior
 Bare Pine Sash Interior
 IG
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 GBG - Contour
 Rectangular 2W5H
 Stone White Ext - White Int
 Ogee Interior Glazing Profile
 Right Center Panel
 Stone White Clad Sash Exterior
 Bare Pine Sash Interior
 IG
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 GBG - Contour
 Rectangular 2W5H
 Stone White Ext - White Int
 Ogee Interior Glazing Profile
 Right Panel
 Stone White Clad Sash Exterior
 Bare Pine Sash Interior
 IG
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 GBG - Contour
 Rectangular 2W5H
 Stone White Ext - White Int
 Ogee Interior Glazing Profile
 Traditional Handle(s)
 3 Point Multi-Point Lock on Active Panel
 Oil Rubbed Bronze Active Exterior Handle Set on Active Panel Keyed
 Oil Rubbed Bronze Active Interior Handle Set on Active Panel
 Oil Rubbed Bronze Inactive Exterior Handle Set on Inactive Panel
 Oil Rubbed Bronze Inactive Interior Handle Set on Inactive Panel
 Exterior Ultimate Sliding Screen w/ Roller Assembly
 Stone White Surround
 Charcoal Fiberglass Mesh
 ***Screen/Combo Ship Loose
 Std Ultrex Sill
 Bronze Ultrex Sill

Black Weather Strip
4 9/16" Jambs
Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
***Note: Unit Availability and Price is Subject to Change



Dealer Quotation - Quote 263992

10250 Philipp Pkwy
 Streetsboro, OH 44241
www.soft-lite.com

Phone: (330) 528 3400
 Fax: (330) 528 3501

QUOTE EXPIRES 30 DAYS FROM REQUESTED
--

Bid For

HOMETOWNE WINDOWS AND DOORS

2911 SOUTH 160TH STREET
 DOCK # 2913
 NEW BERLIN, WI 53151
 Business: 414 329 1200
 Fax: 1 414 329 0335

Shipping Address


2911 SOUTH 160TH STREET
 DOCK # 2913
 NEW BERLIN, WI 53151

Quote Name: McQuide, Andrew

Customer Number	PO	Required Date	Quoted By
707379		3/20/2020	dietzb

Line	Qty	Description
10-1	2	IMP2 Triple Slider XOX 96 x 68

Comment/Room:
 Sunroom West



NFRC Values


U-FACTOR 0.28	SHGC 0.25
VT 0.44	CR 60

Viewed from Inside
 Base Color = Soft-Lite White
 Vent Screen Bettervue
 Sill Expander = Y
 Head Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Foam Fill = Spray Foam
 Life Warranty = Yes
 Reinforced Sash = Y
 Double Locks = Y
 Unit 1 Left, 1 Right: Contour
 Unit 1 Left, 1 Right: Colonial
 Unit 1 Left, 1 Right: Grid Color = Soft-Lite White
 Unit 1 Left, 1 Right: 1W3H
 Unit 1 Center: Contour
 Unit 1 Center: Colonial
 Unit 1 Center: Grid Color = Soft-Lite White
 Unit 1 Center: 2W3H
 Glass Package = Lowe & Argon
 Clear = Yes
 Lowe = Climaguard 7036
 Argon Gas
 Stainless Intercept
 Double Strength

Customer Number	PO	Required Date	Quoted By
707379		3/20/2020	dietzb

Line	Qty	Description
20-1	1	IMP2 Triple Slider XOX 94 x 68

Comment/Room:
Sunroom East



NFRC Values

U-FACTOR	SHGC
0.28	0.25
VT	CR
0.44	60

Viewed from Inside
 Base Color = Soft-Lite White
 Vent Screen Bettervue
 Sill Expander = Y
 Head Expander = Y
 Lock Type = Standard
 Lock Color = Soft-Lite White
 Foam Fill = Spray Foam
 Life Warranty = Yes
 Reinforced Sash = Y
 Double Locks = Y
 Unit 1 Left, 1 Right: Contour
 Unit 1 Left, 1 Right: Colonial
 Unit 1 Left, 1 Right: Grid Color = Soft-Lite White
 Unit 1 Left, 1 Right: 1W3H
 Unit 1 Center: Contour
 Unit 1 Center: Colonial
 Unit 1 Center: Grid Color = Soft-Lite White
 Unit 1 Center: 2W3H
 Glass Package = Lowe & Argon
 Clear = Yes
 Lowe = Climaguard 7036
 Argon Gas
 Stainless Intercept
 Double Strength