

STATE OF WISCONSIN

WAUKESHA COUNTY

VILLAGE OF ELM GROVE

ORDINANCE No. 2025-07

AN ORDINANCE AMENDING SECTION 212-23 OF THE VILLAGE OF ELM GROVE CODE OF ORDINANCE

THE VILLAGE BOARD OF THE VILLAGE OF ELM GROVE DO ORDAIN AS FOLLOWS:

Section 1: § 212-23 of the CODE OF ORDINANCES OF THE VILLAGE OF ELM GROVE is hereby amended to the following text:

§ 212-23. Installation of sump pit pumps and storm water drains.

All sump pumps, roof drains, gutters, cistern, foundation drain, areaway drain, drain tile, or other source of surface runoff discharging clear water shall discharge at least three feet out from the building. The preferred location of any discharge pipe shall be to the front of the building, no closer than 10 feet from the edge of the Village right-of-way. Where it is not practicable to discharge to the front of the building, all discharge shall terminate not less than the greater of 15 feet or one half the distance from any adjacent property line and shall not be directed to impact any adjacent property in a manner which unreasonably restricts its overall use. All sump pits shall have a minimum diameter of 20 inches, and all inlets shall be not less than 12 inches above the bottom of the sump.

Section 2: This ordinance shall take effect and be in full force from and after its passage and publication by posting.

Passed and approved this 23rd day of September, 2025.

VILLAGE OF ELM GROVE

By: [Signature]

John Schindler, Trustee

ATTEST: [Signature]

Crystal Turner, Village Clerk/Deputy Treasurer